

Material Safety Data Sheet

MSDS NUMBER: MN85990
ISSUE DATE: 21 April 2014

1. GENERAL INFORMATION

PRODUCT INFORMATION:

MiN New York Solution 2
Item Number: MN85990
General Use: Toner
Container: Plastic Bottle

COMPANY IDENTIFICATION:

MiN New York
117 Crosby Street
New York, NY 10012

CONTACT INFORMATION:

Business hours: 212-206-6366
Emergency response: 443-742-2711

2. COMPOSITION/INFORMATION ON INGREDIENTS:

<u>COMPONENT</u>	<u>WEIGHT (%)</u>	<u>CAS #</u>	<u>OSHA-PEL</u>	<u>ACGIH TLV</u>
Isopropanol	55%	64-63-0	TWA: 400 ppm 980 mg/m ³ STEL: 500 ppm 1225 mg/m ³	TWA: 400 ppm 983 mg/m ³ STEL: 500 ppm 1230 mg/m ³
Acetylsalicylic Acid (Aspirin)	5.5%	50-78-2	TWA: 5 mg/m ³	TWA: 5 mg/m ³

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW:

Clear, cloudy flammable liquid with an alcoholic odor. Irritating to eyes, can cause respiratory irritation.

POTENTIAL HEALTH EFFECTS:

INHALATION: Vapor concentrations above the recommended exposure levels are irritating to the eyes and respiratory tract, may cause headaches and dizziness, are anesthetic and may have other central nervous system effects.

EYE CONTACT: Eye irritation from liquid contact may occur and can range from mild to severe depending on concentration and duration of contact.

SKIN CONTACT: This product is not likely to irritate the skin, however, allergic reactions are possible.

INGESTION: Small amounts (one tablespoon) is not likely to cause injury; swallowing amounts larger than that may result in depression and alcoholic intoxication.

4. FIRST AID:

EYES: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing with plenty of water.

SKIN: Not expected to be a problem. Should allergic reaction develop, consult a dermatologist.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, oxygen may be given by qualified personnel. Get immediate medical attention.

INGESTION: If swallowed, do not induce vomiting. Keep at rest. Seek prompt medical attention.

5. FIRE FIGHTING MEASURES: FLASHPOINT:

~73°F/~23°C (closed cup). **FLAMMABLE**

LIMITS: Not determined. **AUTOIGNITION**

TEMPERATURE: Not determined.

GENERAL HAZARD: Flammable liquid, moderate explosion hazard when exposed to fire (due to isopropanol).

FIRE FIGHTING MEDIA: Water spray, foam, dry chemical.

FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus, pressure demand, (MSHA/NIOSH approved or equivalent) and full protective gear. Evacuate areas in case of overheating or fire. Heat exposure pressurizes closed containers. Cool with water spray.

UNUSUAL FIRE HAZARDS: Fire burns more vigorously than would be expected. Vapors are heavier than air and can travel along ground to remote ignition sources. Static electricity may accumulate and ignite vapors. Prevent a possible fire hazard by suitable means, such as

bonding and grounding, inert gas purge, vapor dilution, and the like.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: carbon dioxide and carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES:

Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. Ventilate area to reduce alcohol fume concentration. For small spills, mop up, or wipe up, or soak with absorbent material and contain for salvage or disposal. For large spills, provide diking or other appropriate containment to keep material from spreading. Absorb material with an inert material (e.g. dry sand, or earth) DO NOT use combustible materials such as sawdust. DO NOT vacuum spilled material with unapproved electrical equipment such as "shop vac's". Use plastic or aluminum shovel to transfer absorbed waste material into UN approved drums. Clean any remaining slippery surfaces by appropriate techniques, such as several moppings or swabbings with appropriate solvents; washing with mild caustic detergents or solvents. Observe all personal protection equipment recommendations described in Sections 5 & 8. Material is to be disposed of in accordance with Section 13. Local, state, and federal requirements may apply to spills or releases of this material into the environment. Refer to Section 15 for appropriate regulatory requirements.

7. HANDLING AND STORAGE:

STORAGE TEMPERATURE: Ambient

STORAGE PRESSURE: Atmospheric

GENERAL PRECAUTIONS: Keep away from heat and flame. When handling this product, avoid contact with eyes and promptly clean up any spillage. Store away from oxidizing materials. Local, state, and federal regulations may require special storage arrangements and/or provisions for quantities stored above the exempt limitations for Class 1C Flammable Liquids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

RESPIRATORY: Use in well ventilated area. For most conditions, no respiratory protection should be needed; however, a NIOSH approved respirator should be used where TLV or PEL may be exceeded.

SKIN: No precautions other than clean body-covering clothing should be needed.

EYE: Safety glasses or chemical goggles.

EXPOSURE GUIDELINES: None established for MiN Solution #2. This product does contain a high concentration of Isopropyl Alcohol (Isopropanol); OSHA PEL is 400 ppm (980 mg/m³) TWA and a STEL of 500 ppm (1225 mg/m³). ACGIH TLV is 400 ppm (983 mg/m³) TWA and a STEL of 500 ppm (1230 mg/m³).

ENGINEERING CONTROLS: Local exhaust ventilation may be necessary to control any air contaminants to within their TLV's during the use of this product.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE:	Colorless, slightly hazy liquid.
ODOR:	Alcoholic.
ODOR THRESHOLD:	Not determined.
PHYSICAL STATE:	Liquid.
Ph:	4.25.
VAPOR PRESSURE:	Not determined.
VAPOR DENSITY:	Not determined.
MELTING POINT:	Not applicable.
SOLUBILITY IN WATER:	Miscible.
SPECIFIC GRAVITY:	0.9039.
EVAPORATION RATE:	Not determined.
VISCOSITY:	Not applicable.
PERCENT VOLATILES:	Not determined.
DENSITY:	0.9012 g/cm ³ .

10. STABILITY AND REACTIVITY:

GENERAL: This product is stable and hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID: This product is capable of reacting vigorously with oxidizing agents such as peroxides and persulfates (bleach powders). Keep this product away from heat or ignition sources.

11. TOXICOLOGICAL INFORMATION:

It is not legally required to test cosmetic products by means of animal tests. For toxicological information for chemical ingredients listed in section 2 or on the ingredients label, write to the address listed in Section 1 of this MSDS.

12. ECOLOGICAL INFORMATION:

No data are available on the adverse effects of this material on the environment. Based on the chemical composition, it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities as long as dilution is sufficient to bring the flash point above 140° F.

13. DISPOSAL CONSIDERATIONS:

Although not specifically listed as a hazardous waste, this product contains Isopropyl Alcohol (FP 53°F) which gives it the "Characteristic of Ignitability" (i.e. a FP < 140° F). Thus, if discarded, it would be classified as an ignitable hazardous waste with the appropriate waste number D001.

Consult an expert on the disposal of recovered material. Ensure disposal in compliance with government requirements and ensure conformity to local disposal regulations.

14. TRANSPORT INFORMATION:

DOT SHIPPING NAME: Alcohols n.o.s. (Isopropanol).

DOT HAZARD CLASS: 3, PG II.

UN NUMBER: UN 1170.

REPORTABLE QUANTITY: Not listed.

NOTE: May be shipped as Consumer Commodity, ORM-D when packaging meets that definition.

15. REGULATORY INFORMATION:

TSCA (Toxic Substance Control Act): This product is not on the TSCA inventory list as it's intended use is for cosmetic purposes, however, this product has met all of the requirements of the Federal Food, Drug, and Cosmetic Act.

CERCLA (Comprehensive Response, Compensation and Liability Act): None of the ingredients of this product are listed as a hazardous substance and therefore are not reportable under CERCLA. Releases of 100 lbs. or more of product intended to be discarded are reportable as unlisted hazardous substances based on the characteristic of ignitability.

EPA, SARA TITLE III CHEMICAL LISTING:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES: None.

SECTION 304 CERCLA HAZARDOUS SUBSTANCES: None.

SECTION 312 HAZARD CLASS:

Acute:Yes

Chronic:Yes

Fire:Yes

Pressure:No

Reactive:No

SECTION 313 TOXIC CHEMICALS: None present or none present in regulated quantities.

16. OTHER INFORMATION:

LABEL INFORMATION: All containers of MiN New York Solution2 must be labeled with the appropriate item number as defined in Section 1 of this MSDS as well as the appropriate batch number. Each container should bear the statement: CAUTION: Do not ingest. Flammable. Keep away from children. Do not use if allergic to aspirin.

HMIS:

NFPA: (For Isopropyl Alcohol)

Health: 1
Flammability: 3
Reactivity: 0
Personal Protection Index: X (to be specified
by user depending on use conditions.)

Health: 1
Flammability: 3
Reactivity: 0
Rated as a Class 1C Flammable Liquid

All information on this MSDS should be passed on to appropriate employees and downstream users. To the best of our knowledge, the information contained herein is accurate. However, neither MiN New York nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. No warranty is implied. Since conditions of use are beyond the control of MiN New York, user assumes all risks and responsibility.

Prepared By: L. Trahan
Revised By: C. Walker

Date of last revision: 21 April 2014

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. MiN assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – MiN Wash Daily Shampoo
SECTION I

Manufacturer's Name – MiN	Emergency Telephone Number - (212) 206-6366
and Address	Telephone Number for Information (212) 206-6366
119 West 25 th Street #10A	Date Prepared – 07/13/05
New York, NY 10001	

Chemical Family - Anionic Surfactant Based Shampoo.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional

None Established

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F Specific Gravity (H2O=1) 1.003

Vapor Pressure - N/A Melting Point N/A
(mm Hg.)

Vapor Density - N/A Evaporation Rate Approximately 1
(AIR=1) (H2O=1)

Solubility in Water - Highly soluble.

Appearance and Odor – Light Blue pearlescent liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Non Applicable.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - MiN Wash Daily Shampoo

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
Stable X None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur _____ Conditions to Avoid
Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A
Mechanical (General) - N/A Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The MiN assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - MiN Detox Shampoo
SECTION I

Manufacturer's Name - MiN	119 West 25 th Street #10A	Emergency Telephone Number - (212) 206-6366
and Address	New York, NY 10001	Telephone Number for Information (212) 206-6366
		Date Prepared - 07/13/05

Chemical Family - Anionic Surfactant Based Shampoo.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits	
Specific Chemical Identity: Common Name(s) %Optional	OSHA PEL ppm	ACGIH TLVmg/m3 Recommended

None Established

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F Specific Gravity (H2O=1) 1.003

Vapor Pressure - N/A Melting Point N/A
(mm Hg.)

Vapor Density - N/A Evaporation Rate Approximately 1
(AIR=1) (H2O=1)

Solubility in Water - Highly soluble.

Appearance and Odor - Clear liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Non Applicable.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED

NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - MiN Manage Grooming Cream

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X Heat, open flames and other ignition sources

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headache and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion: Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (Flame, Sparks, etc.). Ventilate area well. For small quantities, wash area with water. For large spills, collect in closed containers for disposal.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.
Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in cool well-ventilated area.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A
 Mechanical (General) - Recommended Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. MiN assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - MiN Fortify Daily Conditioner

SECTION I

Manufacturer's Name - MiN	Emergency Telephone Number - (212) 206-6366
and Address	Telephone Number for Information (212) 206-6366
119 West 25 th Street #10A	Date Prepared - 07/13/05
New York, NY 10001	

Chemical Family - Water Based Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits	
Specific Chemical Identity: Common Name(s)	OSHA PEL, ppm	ACGIH TLV/mg/m3
%Optional		Recommended

None established

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F Specific Gravity (H2O=1) .975

Vapor Pressure - N/A Melting Point Approximately 1
(mm Hg.)

Vapor Density - N/A Evaporation Rate Approximately 1
(AIR=1) (H2O=1)

Solubility in Water - Low solubility. Dispersible in water.

Appearance and Odor - White creamy emulsion with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Water, Carbon Dioxide, Dry Chemical, or Universal Type Foams.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED

NA: NOT APPLICABLE

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. MiN assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - MiN Modify Bonding Compound

SECTION I

Manufacturer's Name - MiN
and Address 119 West 25 th Street #10A
New York, NY 10001

Emergency Telephone Number - (212) 206-6366
Telephone Number for Information (212) 206-6366
Date Prepared - 07/13/05

Chemical Family - Hair Styling Cream

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits	
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3
%Optional		Recommended

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D	Specific Gravity (H2O=1)	1.05
Vapor Pressure - N/D (mm Hg.)	Melting Point	N/A
Vapor Density - N/D (AIR=1)	Evaporation Rate (H2O=1)	N/D

Solubility in Water - Low solubility. Dispersible in water.

Appearance and Odor - White creamy opaque cream with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - N/D (method Used) Flammable Limits - N/D LFL - N/D UFL - N/D

Extinguishing Media - Water, ABC all purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: water spray, carbon dioxide, dry chemical. Large fires: Use water spray or alcohol-type foam. Water in a straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperature, open flames or other sources of ignition.

ND: NOT DETERMINED

NA: NOT APPLICABLE

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. MiN assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - MiN IMix Developer

SECTION I

Manufacturer's Name - MiN Emergency Telephone Number (212) 206-6366
Address 119 West 25th Street # 10A Telephone Number for Information (212)206-6366
New York, NY 10001 Date Prepared 07/13/2005

Chemical Family - Hair Dye Developer.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components			Other Limits	
Specific Chemical Identity:	Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional

Hydrogen Peroxide	CAS #7722-84-1	1	1	N/A
-------------------	----------------	---	---	-----

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D Specific Gravity (H2O=1) Approximately 1.0

Vapor Pressure - N/D Melting Point N/A
(mm Hg.)

Vapor Density - > 1 Evaporation Rate < 1
(AIR=1) (Ether = 1)

Solubility in Water - Complete

Appearance and Odor - White opaque liquid with a characteristic odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - N/Z Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Water or Foam.

Special Fire Fighting Procedures - Firefighters should wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards - None.

ND: NOT DETERMINED

NA: NOT APPLICABLE

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. MiN assumes responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – MiN Hair Colors – 1W, 3W, 4W, 6W, 8W, 2C, 4C, 6C, 8C, 10C, Pepper, Silver and Clear

SECTION I

Manufacturer's Name - MiN
Address 119 West 25th Street # 10A
New York, NY 10001

Emergency Telephone Number (212) 206-6366
Telephone Number for Information (212)206-6366
Date Prepared 07/13/2005

Chemical Family - Oxidative Hair Colors

Oxidative Hair colors contain low concentrations of dye intermediates in an aqueous base. They are mixed with the developer (hydrogen peroxide). A separate MSDS exists for hydrogen peroxide developers.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

<u>INGREDIENTS:</u>	<u>CAS # (IDENTITY)</u>	<u>EXPOSURE LIMITS</u>
Water	7732-18-5	
Sodium Sulfite	7757-83-7	
Propylene Glycol	57-55-6	
Isopropyl Alcohol	67-63-0	400 ppm, TLV, PEL, 500 ppm STEL
Oleic Acid	112-80-1	
Fragrance		
Cetrimonium Chloride	112-02-7	
Monoethanolamine	141-43-5	3 ppm TLV, PEL, OSHA, 6ppm STEL
2-Amino-4-Hydroxyethylamino Anisole Sulfate	83763-48-8	
m-Aminophenol	591-27-5	
p-Phenylenediamine	106-50-3	0.1 mg/m ³ TLV, PEL, skin, OSHA
Resorcinol	108-46-3	10 ppm TLV, PEL, 20ppm STEL
1-Naphthol	90-15-3	
p-Aminophenol	123-30-8	
4-Chlororesorcinol	95-88-5	
2-Methylresorcinol	608-25-3	
m-Phenylenediamine	108-45-2	
n,n-Bis-Hydroxyethyl-p-Phenylenediamine Sulfate	54381-16-7	
Lauryl Alcohol	112-53-8	
Nonoxynol-2	26027-38-3	
Nonoxynol-4	7311-27-5	
Tetrasodium EDTA	64-02-0	
Decyl Glucoside	58846-77-8	
Erythorbic Acid	89-65-6	
Diethylene Glycol Ether	111-90-0	

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D	Specific Gravity (H2O=1)	0.970
Vapor Pressure - N/D (mm Hg.)	Melting Point	N/D
Vapor Density - N/D (AIR=1)	Evaporation Rate (H2O=1)	N/D
Solubility in Water - Partly Soluble	pH = 10.0- 10.4	

Appearance and Odor - Clear colored fragranced liquids.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - > 150 Degrees F (PMCC) (method Used)	Flammable Limits - N/D	LFL -N/D	UFL - N/D
---	------------------------	----------	-----------

Extinguishing Media - Water, ABC all purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: water spray, carbon dioxide, dry chemical. Large fires: Use water spray or alcohol type foam. Water in a straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperatures, open flames or other sources of ignition.

ND: NOT DETERMINED NA: NOT APPLICABLE

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	Heat, open flames or other ignition sources, sunlight.

Incompatibility (Materials to Avoid) - Acids.

Hazardous Decomposition or Byproducts - Ammonia maybe generated.

Hazardous Polymerization May Occur	_____	Conditions to Avoid
Will Not Occur	<u> X </u>	_____

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headache and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion: Remove person to fresh air and consult your physician and/or Poison Control Center.

IDENTITY (As Used on Label and List) – MiN Hair Colors

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (flame, sparks, etc.) Ventilate area well. For small quantities, wash area with water. For large spills: Collect in closed containers for disposal.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep away from open flames, sparks, other ignition sources and sunlight. Keep in closed containers stored in a cool well ventilated area.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A

Mechanical (General) - Recommended

Special - N/A

Other - N/D

Protective Gloves - Impervious

Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.